### THE PREVENA™ SYSTEM MANAGES SURGICAL INCISIONS BY:



Helping to hold incision edges together



Removing fluids and infectious materials



Acting as a barrier to external contamination



Delivering continuous negative pressure at -125mmHg up to 7 days

### INCISIONS CAN BE COMPLICATED AND COSTLY

Post-surgical complications can lead to significant costs:

8MILLION

people are at risk for healthcare-associated infections (HAIs)<sup>2</sup>

SSIS

SSIs are

21.8%

of all HAIs<sup>3</sup>

Infections

increase

average length of hospital stay to an extra

9.58 days4

An additional **9.58** day hospital stay costs

\$38,656

Beyond SSIs, other common complications include:

A number of published clinical studies in a variety of surgical incisions and patient populations have demonstrated that the PREVENA $^{\text{m}}$  System is associated with positive clinical outcomes compared to standard post-operative dressings.<sup>1</sup>



### **SUMMARY**

The PREVENA™ System incorporates all of the functional elements of NPT necessary for the management of a variety of closed surgical incisions. Our portfolio of portable and flexible dressings and therapy units provide combined benefits of ease of use and flexibility to manage and protect surgical incisions following primary closure.

### Optimized for patient safety:

- Visual and audible alarms
- Interface layer contains 0.019% ionic silver that may help reduce bacterial colonization within the interface fabric.
   The silver is not intended to treat infection.
- Replaceable canister holds exudate away from the incision site

### Ordering information\*

Item #	Product Name	Qty
PRE1001US	PREVENA™ PEEL & PLACE™ System — 20cm	1
PRE1055US	PEEL & PLACE™ Dressing — 20cm	5
PRE1101US	PREVENA™ PEEL & PLACE™ System — 13cm	1
PRE1155US	PEEL & PLACE™ Dressing — 13cm	5
PRE1095	PREVENA™ 45ml Canister	5
PRE4001US	PREVENA PLUS™ CUSTOMIZABLE™ System	1
PRE4055US	PREVENA PLUS™ CUSTOMIZABLE™ Dressing	5
PRE3201US	PREVENA PLUS™ PEEL & PLACE™ System — 35cm	1
PRE3255US	PEEL & PLACE™ Dressing — 35cm	5
PRE4000US	PREVENA PLUS™ 125 Therapy Unit	1
PRE4095	PREVENA PLUS™ 150ml Canister	5
PRE1121US	PREVENA DUO™ System with PEEL & PLACE™ Dressings – 13cm/13cm	1
PRE3321US	PREVENA PLUS DUO™ System with PEEL & PLACE™ Dressings — 13cm/20cm	1
PRE3021US	PREVENA PLUS DUO™ System with PEEL & PLACE™ Dressings — 20cm/20cm	1
PRE9090	PREVENA™ V.A.C.® Connector	10

<sup>\*</sup>Check for product availability

#### Reference:

- 1. PREVENA™ Incision Management System Bibliography available on request.
- 2. Zimlichman E, Henderson D, Tamir O, et al. Health care-associated infections: a meta-analysis of costs and financial impact on the US health care system. *JAMA Intern Med*.2013;173(22):2039-2046.
- 3. Maqill SS, Edwards JR, Bamberg W, et al. Multistate point-prevalence survey of health care-associated infections. N Engl J Med. 2014;370(13):1198-1208.
- 4. Zhan C, Miller MR. Excess Length of Stay, Charges, and Mortality Attributable to Medical Injuries During Hospitalization. JAMA. 2003;290;1868-1874.
- 5. Riou JP, Cohen JR, Johnson H Jr. Factors influencing wound dehiscence. Am J Surq. 1992;163(3):324-330.
- 6. Wilson JA, Clark JJ. Obesity: impediment to postsurgical wound healing. Adv Skin Wound Care. 2004;17(8):426-435.
- 7. Abbas SM, Hill AG. Smoking is a major risk factor for wound dehiscence after midline abdominal incision; case-control study. ANZ J Surg. 2009;79(4):247-250.

Follow local institutional protocols for infection control and waste disposal procedures. Local protocols should be based on the applicable local government environmental regulations.

NOTE: Specific indications, contraindications, warnings, precautions and safety information exist for PREVENA $^{\infty}$  Therapy. Please consult the applicable PREVENA $^{\infty}$  System Clinician Guide instructions for use prior to application. Rx only.

Copyright 2016, 2017 KCI Licensing, Inc., its affiliates and/or licensors. LIT#29-A-283 • PRA000756-R0-US, EN (10/17)







# PREVENA™ PEEL & PLACE™ INCISION MANAGEMENT SYSTEM

### Designed for ease of use

Available with two dressing options:

- PEEL & PLACE™ Dressing 13cm (for linear incisions up to 13cm in length)
- PEEL & PLACE<sup>™</sup> Dressing 20cm (for linear incisions up to 20cm in length)

### Features and Advantages



#### **EASY-TO-USE THERAPY UNIT**

- 1 Single button operation turn therapy unit on, off, and activate alert mute
- 2 Audible and visual alerts notify patient and clinician of incidence of leaks, full canister, and low battery
- 3 PREVENA<sup>™</sup> 45ml Canister replaceable canister allows storage of exudate away from the incision site





#### INTEGRATED ONE-PIECE DRESSING

- 1 Foam bolster channels negative pressure to the incision area
- 2 Skin-friendly interface layer wicks fluid away from the surface
- 3 Stabilization layer prevents film from wrinkling during application
- 4 Adhesive film creates a barrier to external contaminants

### PREVENA PLUS™ INCISION MANAGEMENT SYSTEM Designed for flexibility

Available with two dressing options:

- PREVENA PLUS™ CUSTOMIZABLE™ Dressing (for linear, non-linear and intersecting incisions up to 90cm in length)
- PEEL & PLACE<sup>™</sup> Dressing 35cm (for linear incisions up to 35cm in length)





#### **EASY-TO-USE THERAPY UNIT**

- 1 Single button operation turn therapy unit on/off
- 2 Audible and visual alerts notify patient and clinician of leaks, full canister, and low battery
- 3 PREVENA PLUS<sup>™</sup> 150ml Canister replaceable canister allows storage of exudate away from the incision site
- Rechargeable battery eliminates the need to replace batteries



# PREVENA PLUS™ CUSTOMIZABLE™ DRESSING

- 1 Foam bolster conforms negative pressure to the incision area
- 2 Skin-friendly interface layer wicks fluid away from the surface
- 3 Hydrocolloid strips secures dressing to application site and helps with sealing
- 4 SENSAT.R.A.C.™ Dressing technology to monitor and maintain pressure at the incision site
- 5 V.A.C.® Drape covers and protects incision from external contamination



# PEEL & PLACE™ DRESSING — 35CM INTEGRATED ONE-PIECE DRESSING

- 1 Foam bolster channels negative pressure to the incision area
- 2 Skin-friendly interface layer wicks fluid away from the surface
- 3 Stabilization layer prevents film from wrinkling during application
- 4 Adhesive film creates a barrier to external contaminants

### PREVENA DUO™ THERAPY PLATFORM

### Two dressings, one solution



For use on two linear incisions in three dressing length combinations (13cm/13cm, 13cm/20cm, 20cm/20cm)

### Customize treatment with three system options:



## PREVENA DUO™ SYSTEM WITH PEEL & PLACE™ DRESSINGS — 13CM/13CM

- 1 PREVENA<sup>™</sup> 125 Therapy Unit features single button operation to turn therapy unit on, off, and activate alert mute
- 2 PREVENA™ 45ml Canister
- 3 PEEL & PLACE<sup>™</sup> Dressings 13cm (qty. 2)
- 4 PREVENA<sup>™</sup> Y-Connector



# PREVENA PLUS DUO™ SYSTEM WITH PEEL & PLACE™ DRESSINGS — 13CM/20CM

- 1 PREVENA PLUS<sup>™</sup> 125 Therapy Unit features rechargeable batteries and single button operation to turn therapy unit on and off
- 2 PREVENA PLUS™ 150ml Canister
- 3 PEEL & PLACE<sup>™</sup> Dressings 13cm (qty. 1)
- 4 PEEL & PLACE™ Dressings 20cm (qty. 1)
- 5 PREVENA™ Y-Connector



# PREVENA PLUS DUO™ SYSTEM WITH PEEL & PLACE™ DRESSINGS — 20CM/20CM

- 1 PREVENA PLUS™ 125 Therapy Unit features rechargeable batteries and single button operation to turn therapy unit on and off
- 2 PREVENA PLUS™ 150ml Canister
- 3 PEEL & PLACE™ Dressings 20cm (qty. 2)
- 4 PREVENA™ Y-Connector